

## LIST OF FIGURES

S.NO	FIGURE#	TITLE	PAGE
1.	Figure 3.1	Simple sinusoidal waves .....	<i>41</i>
2.	Figure 3.2:	Shows types of waves and propagation.....	<i>43</i>
3.	Figure 3.3:	Reflection and Refraction of Body waves.....	<i>43</i>
4.	Figure 3.4:	Simplest ray diagram .....	<i>44</i>
5.	Figure 3.5:	Wave propagation through medium .....	<i>44</i>
6.	Figure 3.6:	A wave path as it travels through multiple layers.....	<i>45</i>
7.	Figure 3.7:	One Reflector Interface .....	<i>45</i>
8.	Figure 3.8:	Phenomena of Diffraction .....	<i>46</i>
9.	Figure 3.9:	Long path and short paths multiples .....	<i>47</i>
10.	Figure 3.10:	Direct, surface, reflected and refracted wave .....	<i>48</i>
11.	Figure 3.11:	Time-distance graph .....	<i>49</i>
12.	Figure 3.12	2D Seismic Survey field layout.....	<i>50</i>
13.	Figure 3.13	3D Seismic field layout .....	<i>51</i>
14.	Figure 3.14	the explosion site, geophones, and reflecting horizons .....	<i>52</i>
15.	Figure 3.15:	An aerial photograph of a modern Seismic Boat .....	<i>54</i>
16.	Figure 3.16:	Seismic traces with own gains: shows noisy trace (4th from the left)....	<i>56</i>
17.	Figure 3.17:	Seismic traces with uniform gain .....	<i>57</i>
18.	Figure 3.18:	Shows Polarity Reversal .....	<i>57</i>
19.	Figure 3.19:	Finding convolution filter to accomplish desired output .....	<i>58</i>
20.	Figure 3.20:	Signature De-convolution .....	<i>58</i>
21.	Figure 3.21:	Floating datum .....	<i>59</i>
22.	Figure 3.22:	Near surface irregularities introduce time shift into the reflection events.....	<i>60</i>
23.	Figure 3.23:	Figure showing the velocity curve and the section where from it calculated .....	<i>61</i>
24.	Figure 3.24:	Normal Move-out Correction.....	<i>61</i>
25.	Figure 3.25:	Before and after NMO correction .....	<i>62</i>
26.	Figure 3.26:	Muting the noise .....	<i>63</i>
27.	Figure 3.27:	Ramping .....	<i>63</i>
28.	Figure 3.28:	Figure represents a CMP stacking (single trace) from 50 traces.....	<i>64</i>
29.	Figure 3.29:	Migration.....	<i>64</i>
30.	Figure 3.30:	Distorted structures before and after 2-D migration .....	<i>65</i>
31.	Figure 3.31:	Reflecting horizon with SEG-Y map superimposed.....	<i>66</i>

32.	Figure 3.32: Cross- Correlation Co-efficient equations.....	71
33.	Figure 4.1 Production Model .....	77
34.	Figure 4.2 Structure of Rule-based Expert System.....	77
35.	Figure 4.3 showing the match-fire procedure.....	81
36.	Figure 4.4 Example of a reasoning chain.....	81
37.	Figure 4.5 Structure of Expert System.....	83
38.	Figure 4.6 Team of Expert system development .....	85
39.	Figure 5.1 Opening Screen.....	91
40.	Figure 5.2 Authentication screen.....	91
41.	Figure 5.3 Entering authentication details.....	91
42.	Figure 5.4 Message for unauthorized login attempt.....	92
43.	Figure 5.5 General guidelines.....	92
44.	Figure 5.6 Expert System services .....	93
45.	Figure 5.7 Menu with expert system services.....	94
46.	Figure 5.8 Interpreting seismic sections without data sample.....	94
47.	Figure 5.9 Seismic section (left), interpretation window (top right), questioning interface (bottom right).....	96
48.	Figure 5.10 Edit box style questioning.....	98
49.	Figure 5.11 List-box style of questioning.....	98
50.	Figure 5.12 Question and explain button.....	99
51.	Figure 5.13 Explanation message.....	100
52.	Figure 5.14 Interpretation displayed (top right window).....	100
53.	Figure 5.15 expert system services menu .....	101
54.	Figure 5.16 Interpretation of seismic sections when data are available.....	102
55.	Figure 5.17 Seismic section (left) and corresponding data sample (top right).....	103
56.	Figure 5.18 Seismic snap (left), interpretation window (top right), questioning interface (bottom right) .....	104
57.	Figure 5.19 Partial results of interpretation and ‘Analytical Interpretation’ button.....	105
58.	Figure 5.20 Analytical Interpretation.....	106
59.	Figure 5.21 Screen showing ‘execute program’ button (top right).....	106
60.	Figure 5.22 Screen prompting to accept start time.....	107
61.	Figure 5.23 Screen prompting to accept end time.....	107
62.	Figure 5.24 Screen showing prompt to accept window size for cross-correlation.....	108
63.	Figure 5.25 Screen showing shows program being invoked.....	109

64.	Figure 5.26 Screen prompting to accept user's choice to view resultant plot.....	109
65.	Figure 5.27 the resultant Cross-correlation plot displayed.....	110
66.	Figure 5.28 prompting to enter response regarding break seen in snap missing in plot .....	111
67.	Figure 5.29 Screen prompting the user to choose 'instantaneous phase' for horizon tracking.....	112
68.	Figure 5.30 shows 'Use instantaneous phase-execute program' button to invoke program.....	112
69.	Figure 5.31 shows program execution of 'instantaneous phase'.....	113
70.	Figure 5.32 Screen shows plot of traced horizon using 'instantaneous phase'.....	113
71.	Figure 5.33 Screen prompting the user to use 'reflection strength' attribute.....	114
72.	Figure 5.34 Screen shows 'use reflection strength-execute program'.....	114
73.	Figure 5.35 Screen shows 'reflection strength' program execution.....	115
74.	Figure 5.36 Screen shows the plot for 'Reflection strength'.....	115
75.	Figure 5.38 Screen prompting the user to choose another reflecting horizon.....	116
76.	Figure 5.38 Screen showing option to add new seismic record.....	117
77.	Figure 5.39 Screen showing loading of seismic snap.....	118
78.	Figure 5.40 Screen shows loading of data.....	118
79.	Figure 5.41 Seismic section details data entry screen.....	119
80.	Figure 5.42 Seismic section list on top right shows the new record at end (encircled).....	120
81.	Figure 5.43 Screen showing 'Help' file opened.....	121
82.	Figure 5.44 Screen showing context sensitive help when working with seismic sections with data.....	122
83.	Figure 5.1: Cross- Correlation Co-efficient equations.....	129
84.	Figure 6.1: Correlated reflection horizon using 2001 traces....	137
85.	Figure 6.2: SEG-Y section corresponding to correlated horizon shown in Figure 6.1 .....	137
86.	Figure 6.3: Cross-correlated reflection horizon using random time interval range....	138
87.	Figure 6.4: SEG-Y section corresponding to correlated horizon shown in Figure 6.3. ....	138
88.	Figure 6.5 Reflecting horizons tracked using cross-correlation technique corresponding to horizons seen in Figure 6.5.....	139
89.	Figure 6.6 SEG-Y snap showing reflecting horizons.....	140
90.	Figure 6.7 Tracked reflected horizons using cross-correlation technique.....	141
91.	Figure 6.8 corresponding to horizons shown in Figure 6.7.....	141
92.	Figure 6.9: SEG-Y section showing a fault at bottom left.....	148

93. Figure 6.10: Tracking across a fault plane using: cross-correlation curve 1, instantaneous phase curve 2..... **148**
94. Figure 6.11: Tracking across a fault plane using ‘reflection strength’..... **149**
95. Figure 6.12: Horizon traced backwards using Instantaneous Phase..... **150**
96. Figure 6.13 Interpretation form..... **166**
97. Figure 6.14 General declaration area showing ‘Flex’ object instantiation and initialization.....  
**167**
98. Figure 6.15 Code in *click()* event of *Call Expert System* button.... **167**
99. Figure 6.16 Code in *load()* event of form..... **167**
100. Figure 6.17 code in *unload()* event of form..... **167**
101. Figure 6.18 Code in click event of Help button..... **168**