



# *Chapter 7*

## References

*Great dreams of dreamers are always transcended.*

*- Dr. A.P.J. Abdul Kalam*

## CHAPTER 7      REFERENCES

---

- Aitken, M.J. (1998), An Introduction to Optical Dating. Academic Press, London.
- Ali, S.N. and Juyal, N. (2013), Chronology of late quaternary glaciations in Indian Himalaya: A critical review. Journal of the Geological Society of India, Vol. 82, pp. 628-638.
- Bagati, T.N., Mazari, R.K. and Rajagopalan, G. (1996), Palaeotectonic implication of Lamayuru lake (Ladakh). Current Science, Vol. 71, pp. 479-482.
- Baker, V.R. (1987), Paleoflood hydrology and extraordinary flood events. Journal of Hydrology, Vol. 96, pp. 79-99.
- Basavaiah, N. and Khadkikar, A.S. (2004), Environmental magnetism and its application towards the paleo monsoon reconstruction. Journal of Indian Geophysical Union, Vol. 8, pp. 1-14.
- Bateman, M.D., Bryant, R.G., Foster, I.D.L., Livingstone, I. and Parsons, A.J. (2012), On the formation of sand ramps: A case study from the Mojave Desert. Geomorphology Vol. 161-162, pp. 93-109.
- Bertram, S. (2003), Late Quaternary sand ramps in south-western Namibia: nature, origin and palaeoclimatological significance. Unpublished doctoral thesis, Universität Würzburg.
- Bhattacharyya, T., Pal, D.K. and Deshpande, S.B. (1993), Genesis and transformation of minerals in the formation of red (Alfisols) and black

- (Inceptisols and Vertisols) soils on Deccan basalt in the Western Ghats, India. *Journal of Soil Science*, Vol. 44, pp. 159–171.
- Blöthe, J.H., Munack, H., Korup, O., Fülling, A., Garzanti, E., Resentini, A. and Kubik, P.W. (2014), Late Quaternary valley infill and dissection in the Indus River, western Tibetan Plateau margin. *Quaternary Science Reviews*, Vol. 94, pp. 102-119.
- Blum, M.D. and Törnqvist, T.E. (2000), Fluvial responses to climate and sea-level change: a review and look forward. *Sedimentology*, Vol. 47, pp. 2-48.
- Bookhagen, B. and Burbank, D.W. (2010), Toward a complete Himalayan hydrological budget: Spatiotemporal distribution of snowmelt and rainfall and their impact on river discharge. *Journal of Geophysical Research*, Vol. 115, pp. 1-25.
- Bookhagen, B., Thiede, R.C. and Strecker, M.R. (2005), Late Quaternary intensified monsoon phases control landscape evolution in the northwest Himalaya. *Geology*, Vol. 33, pp. 149-152.
- Brook, G.A., Srivastava, P. and Marais, E. (2006), Characteristics and OSL minimum ages of relict fluvial deposits near Sossus Vlei, Tsauchab River, Namibia, and a regional climate record for the last 30 ka. *Journal of Quaternary Science*, Vol. 21, pp. 347-362.
- Brookfield, M.E. and Andrews-Speed, C.P. (1984), *Sedimentology, petrography and tectonic significance of the shelf, flysch and molasse clastic deposits across*

Brown, E.T., Bendick, R., Bourles, D.L., Gaur, V., Molnar, P., Raisbeck, G.M. and Yiou, F. (2002), Slip rates of the Karakoram fault, Ladakh, India, determined using cosmic ray exposure dating of debris flows and moraines. *Journal of Geophysical Research*, Vol. 107 (B9), pp. 2192.

Bull, W.B. (1990), Stream-terrace genesis: implications for soil development. *Geomorphology* Vol. 3, pp. 351-367.

Bull, W.B. (1991), *Geomorphic Responses to Climatic*. New York, Oxford

Burbank, D.W. and Fort, M.B. (1985), Bedrock control on glacial limits: examples from the Ladakh and Zaskar ranges, north-western Himalaya, India. *Journal of Glaciology* Vol. 31, pp. 143-149.

Burbank, D.W., Leland, J., Fielding, E., Anderson, R., Brozovic, N., Reid, M. and Duncan, C. (1996), Bedrock incision, rock uplift and threshold hillslopes in the  
Vol. 379, pp. 505–510.

Carver, R.E. (1971), *Procedures in Sedimentary Petrology*. New York, Wiley-Interscience.

Chaudhary, S., Shukla, U.K., Sundriyal, Y.P., Srivastava, P. and Jalal, P. (2015), Formation of paleovalleys in the Central Himalaya during valley aggradation. *Quaternary International* Vol. 371, pp. 254-267.

Clarke, M.L. (1996), IRSL dating of sands: bleaching characteristics at deposition  
Vol. 26, pp.

611-620.

Clarke, M.L. and Rendell, H.M. (1998), Climate change impacts on sand supply  
and the formation of desert sand dunes in the south-west USA. *Journal of Arid*  
Vol. 39, pp. 517–531.

Clemmensen, L.B., Forno's, J.J. and Rodriguez-Perea, A. (1997). Morphology and  
architecture of Late Pleistocene cliff-front dune, Mallorca, western  
Vol. 9, pp. 251–254.

Clift, P.D., Carter, A., Krol, M. and Kirby, E. (2002), Constraints on India-Eurasia  
collision in the Arabian sea region taken from the Indus Group, Ladakh  
Himalaya, India. *Geological Society of London, Special Publications* Vol. 195  
(1), pp. 97-

Clift, P.D., Degan, P.J., Hannigan, R. and Blusztajn, J. (2000), Sedimentary and  
geochemical evolution of the Dras forearc basin, Indus Suture, Ladakh  
Himalaya, India. *Geological Society of America Bulletin*, Vol. 112 (3), pp. 450-  
466.

Clift, P. and Giosan, L. (2013), Sediment fluxes and buffering in the post-glacial  
Vol. 25, pp. 1–18.

Clift, P.D., Shimizu, N., Layne, G.D., Blusztajn, J.S., Gaedicke, C., Schlüter, H.U.,  
Clark, M.K. and Amjad, S. (2001), Development of the Indus Fan and its

- significance for the erosional history of the Western Himalaya and Karakoram. Geological Society of America Bulletin Vol. 113 (8), pp. 1039-1051.
- Colls, A.E., Stokes, S., Blum, M.D. and Straffin, E. (2001), Age limits on the Late Quaternary evolution of the upper Loire River. Quaternary Science Reviews, Vol. 20, pp. 743-750.
- Costa, J.E. (1983), Paleohydraulic reconstruction of flash flood peaks from boulder deposits in the Colorado Front Range. Geological Society of America Bulletin, Vol. 94, pp. 986–1004.
- Cronin, V.S. (1989), Structural setting of the Skardu intermontane basin, Karkoram Vol. 232, pp. 183-202.
- Crosby, B.T. and Whipple, K.X. Knickpoint initiation and distribution within fluvial networks: 236 waterfalls in the Waipaoa River, North Island, New Zealand. Geomorphology, Vol. 82, pp. 16-38.
- Damm, B. (2006), Late Quaternary glacier advances in the upper catchment area of the Indus River (Ladakh and Western Tibet). Quaternary International Vol. 154, pp. 87- .
- DeCelles, P. G., Robinson, D. M. and Zandt, G. (2002), Implications of shortening in the Himalayan fold-thrust belt for uplift of the Tibetan Plateau. Tectonics, Vol. 21 (6), pp. 12-1.

Demske, D., Tarasov, P.E., Wünnemann, B. and Riedel, F. (2009), Late glacial and Holocene vegetation, Indian monsoon and westerly circulation dynamics in the Trans-Himalaya recorded in the pollen profile from high-altitude Tso Kar Lake, Ladakh, NW India. *Palaeogeography, Palaeoclimatology*, Vol. 279, pp. 172-185.

Dobhal, D.P., Gupta, A.K., Mehta, M. and Khandelwal, D.D. (2013), Kedarnath disaster: facts and plausible causes. *Current Science* Vol. 105 (2), pp. 171-174.

Dortch, J.M., Owen, L.A. and Caffee, M.W. (2010), Quaternary glaciation in the Nubra and Shyok valley confluence, northernmost Ladakh, India. *Quaternary Research* Vol. 74 (1), pp. 132-144.

Dortch, J.M., Owen, L.A. and Caffee, M.W. (2013), Timing and climatic drivers for glaciation across semi-arid western Himalayan Tibetan orogen. *Quaternary* Vol. 78, pp. 188-208.

Dortch, J.M., Owen, L.A., Caffee, M.W. and Kamp, D.U. (2011), Catastrophic partial drainage of Pangong Tso, Ladakh, northern India. *Journal of Geomorphology* Vol. 125, pp. 109–121.

Dortch, J., Owen, L.A., Haneberg, W.C., Caffee, M.W., Dietsch, C. and Kamp, D.U. (2009), Nature and timing of large-landslides in the Himalaya and Transhimalaya of northern India. *Quaternary Science Reviews* Vol. 28, pp. 1037–1054.

- Dutt, S., Gupta, A.K., Clemens, S.C., Cheng, H., Singh, R.K., Kathayat, G. and Edwards, R.L. (2015), Abrupt changes in Indian summer monsoon strength during 33,800 to 5500 years BP. *Geophysical Research Letters* Vol. 42 (13), pp. 5526-5532.
- Evans, M.E. and Heller, F. (2003), *Environmental Magnetism: Principal and Applications of Environmental Magnetism*. Oxford, Academic Press.
- Fang, J.Q. (1991), Lake evolution during the past 30,000 years in China, and its implications for environmental change. Vol. 36, pp. 37-60.
- Fort, M. (1983), Geomorphological observations in the Ladakh area (Himalayas): Quaternary evolution and present dynamics. *In* Gupta, V.J., ed. *Stratigraphy and structure of Kashmir and Ladakh. Himalaya*. New Delhi, Hindustan Publishing, pp. 39-58.
- Gansser, A. (1964), *Geology of the Himalayas*. John Wiley and Sons, New York.
- Gardner, T.W. (1975), The history of part of the Colorado River and its tributaries; an experimental study. *Four Corners Geological Society Guidebook* Vol. 8, pp. 87-95.
- Gardner, T.W. (1983), Experimental study of knickpoint and longitudinal profile evolution in cohesive, homogeneous material. *Geological Society of America* Vol. 94, pp. 664-672.



- Garzanti, E. and Van Haver, T. (1988), The Indus clastics: forearc basin sedimentation in the Ladakh Himalaya (India). *Sedimentary Geology* Vol. 59 (3-4), pp. 237-249.
- Godfrey-Smith, D.I., Huntley, D.J. and Chen, W-H. (1988), Optical dating studies of quartz and feldspar sediment extracts. *Quaternary Science Reviews* Vol. 7, pp. 373-380.
- Goodbred, S.L. (2003), Response of the Ganges dispersal system to climate change: a source-to-sink view since the last interstade. Vol. 162, pp. 83-104.
- Hack, J.T. (1973), Stream-profile analysis and stream-gradient index. *Journal of Research of the US Geological Survey* Vol. 1 (4), pp. 421-429.
- Hancock, G.S. and Anderson, R.S. (2002), Numerical modeling of fluvial strath-terrace formation in response to oscillating climate. *Geological Society of* Vol. 114, pp. 1131-1142.
- Hancock, G.S., Anderson, R.S., Chadwick, O.A. and Finkel, R.C. (1999), Dating fluvial terraces with  $^{10}\text{Be}$  and  $^{26}\text{Al}$  profiles: Application to the Wind River, Wyoming. Vol. 27, pp. 41-
- Henderson, A. L., Foster, G. L. and Najman, Y. (2010a), Testing the application of in situ Sm-Nd isotopic analysis on detrital apatites: A provenance tool for constraining the timing of India-Eurasia collision. *Earth and Planetary Science Letters*, Vol. 297 (1), pp. 42-49.

Henderson, A.L., Najman, Y., Parrish, R., BouDagher-Fadel, M., Barford, D., Garzanti, E. and Andò, S. (2010b), Geology of the Cenozoic Indus Basin sedimentary rocks: Paleoenvironmental interpretation of sedimentation from the western Himalaya during the early phases of India-Eurasia collision. Vol. 29, pp. 1–

Henderson, A.L., Najman, Y., Parrish, R., Mark, D.F. and Foster, G.L. (2011), Constraints to the timing of India–Eurasia collision; a re-evaluation of evidence from the Indus Basin sedimentary rocks of the Indus–Tsangpo Suture Zone, Ladakh, India. *Earth-Science Reviews*, Vol. 106 (3), pp. 265-292.

Hillier, S. (2003), Quantitative analysis of clay and other minerals in sandstones by X-ray powder diffraction (XRPD). *Clay Mineral Cements in Sandstones*: Vol. 34, pp. 213–251.

Hobley, D.E., Sinclair, H.D. and Mudd, S.M. (2012), Reconstruction of a major storm event from its geomorphic signature: The Ladakh floods, 6 August 2010. *Geology* Vol. 40 (6), pp. 483-486.

Jade, S., Rao, H.R., Vijayan, M.S. M., Gaur, V.K., Bhatt, B.C., Kumar, K., Jaganathan, S., Ananda, M.B. and Kumar, P.D. (2011), GPS-derived deformation rates in northwestern Himalaya and Ladakh. *International Journal of Earth Sciences* Vol. 100, pp. 1293-1301.

Jain, M. and Singhvi, A.K. (2001), Limits to depletion of blue-green light stimulated luminescence in feldspars: implications for quartz dating. *Radiation* Vol. 33, pp. 883-892.

- Jamieson, S.S.R., Sinclair, H.D., Kirstein, L.A. and Purves, R.S. (2004), Tectonic forcing of longitudinal valleys in the Himalaya: morphological analysis of the Ladakh Batholith, North India. *Geomorphology* Vol. 58, pp. 49-65.
- Jung, S.J., Kroon, D., Ganssen, G., Peeters, F. and Ganeshram, R. (2009), Enhanced Arabian Sea intermediate water flow during glacial North Atlantic cold phases. *Earth and Planetary Science Letters* Vol. 280 (1), pp. 220-228.
- Juyal, N. (2010), Cloud burst-triggered debris flows around Leh. *Current Science*, Vol. 99, pp. 1166–1167.
- Juyal, N., Chamyal, L.S., Bhandari, S., Bhushan, R. and Singhvi, A.K. (2006), Continental record of the southwest monsoon during the last 130ka: evidence from the southern margin of the Thar Desert, India. *Quaternary Science Reviews* Vol. 25 (19), pp. 2632-2650.
- Juyal, N., Sundriyal, Y.P., Rana, N., Chaudhary, S. and Singhvi, A.K. (2010), Late Quaternary fluvial aggradation and incision in the monsoon-dominated Alaknanda valley, Central Himalaya, Uttarakhand, India. *Journal of Quaternary* Vol. 25, pp. 1293–1304.
- Kale, V.S., Ely, L.L., Enzel, Y. and Baker, V.R. (1996), Palaeo and historical flood hydrology, Indian Peninsula. Geological Society of London, Special Publications Vol. 115, pp. 155-163.
- Kale, V.S. (2004), Floods in India: their frequency and pattern. Coping with natural hazards: Indian context. Orient Longman, Hyderabad, pp. 91-103.

- Kale, V.S. and Hire, P.S. (2004), Effectiveness of monsoon floods on the Tapi River, India – role of channel geometry and hydrologic regime. *Geomorphology* Vol. 57, pp. 275–291.
- Kale, V.S., Mishra, S. and Baker, V.R. (2003), Sedimentary records of palaeofloods in the bedrock gorges of the Tapi and Narmada rivers, central. *Current Science*, Vol. 84 (8).
- Kale, V.S., Singhvi, A.K., Mishra, P.K. and Banerjee, D. (2000), Sedimentary records and luminescence chronology of Late Holocene palaeofloods in the Luni River, Thar Desert, northwest India. *Catena* Vol. 40 (4), pp. 337-358.
- Keller, E.A. and Pinter, N. (1996), *Active tectonics* (Vol. 1338). Prentice Hall, Upper Saddle River, NJ, USA.
- Kirby, E., Whipple, K.X., Tang, W. and Chen, Z., (2003), Distribution of active rock uplift along the eastern margin of the Tibetan Plateau: Inferences from bedrock channel longitudinal profiles. *Journal of Geophysical Research* Vol. 108 (B4), pp. 2217.
- Kochel, R.C. and Baker V.R. (1982), Paleoflood Hydrology. *Science* Vol. 215, pp. 353-361.
- Korup, O., Clague, J.J., Hermanns, R.L., Hewitt, K., Strom, A.L. and Weidinger, J.T. (2007), Giant landslides, topography, and erosion. *Earth and Planetary Science Letters* 261 Vol. (3), pp. 578-589.

- Korup, O., Montgomery, D.R. and Hewitt, K. (2010), Glacier and landslide feedbacks to topographic relief in the Himalayan syntaxes. *Proceedings of the* Vol. 107, pp. 5317-5322.
- Korup, O., Strom, A.L. and Weidinger, J.T. (2006), Fluvial response to large rock-slope failures: Examples from the Himalayas, the Tien Shan, and the Southern Alps in New Zealand. *Geomorphology* Vol. 78, pp. 3–21.
- Kothyari, G.C., Shukla, A.D. and Juyal, N. (2016), Reconstruction of Late Quaternary climate and seismicity using fluvial landforms in Pindar River valley, Central Himalaya, Uttarakhand, India. *Quaternary International* (in press).
- Kotlia, B.S., Shukla, U.K., Bhalla, M.S., Mathur, P.D. and Pant, C.C. (1997), Quaternary fluvio-lacustrine deposits of the Lamayuru Basin, Ladakh Himalaya: preliminary multidisciplinary investigations. *Geological Magazine*, Vol. 134 (6), pp. 807-
- Krapf, C.E.B., Stollhofen, H. and Stanistreet, I.G. (2003), Contrasting styles of ephemeral river systems and their interaction with dunes of Skeleton Coast Erg (Namibia). *Quaternary International*, Vol. 104, pp. 41–52.
- Kreemer, C., Holt, W.E. and Haines, A.J. (2003), An integrated global model of present-day plate motions and plate boundary deformation. *Geophysical Journal International* Vol. 154, pp. 8-34.

- Kumar, A. and Srivastava, P. Late Pleistocene-Holocene aggradation and incision of Indus River, Ladakh, NW Himalaya: Role of paleoclimate and tectonics. *Quaternary Research* (in communication).
- Kumar, A., Srivastava, P. and Meena, N.K. (2016). Late Pleistocene aeolian activity in the cold desert of Ladakh: A record from sand ramps. *Quaternary International* (in press).
- Lancaster, N. and Tchakerian, V.P. (1996), *Geomorphology and sediments of sand ramps in the Mojave* Vol. 17, pp. 151-165.
- Lavé, J. and Avouac, J.P. (2000), Active folding of fluvial terraces across the Siwalik Hills, Himalayas of central Nepal. *Journal of Geophysical Research*, Vol. 105 (B3), pp. 5735-5770.
- Lavé, J. and Avouac, J.P. (2001), Fluvial incision and tectonic uplift across the Himalayas of central Nepal. *Journal of Geophysical Research* Vol. 106 (B11), pp. 26561–
- Le Fort, P. (1975), Himalayas: the collided range. Present knowledge of the continental arc. *American Journal of Science*, Vol. 275 (1), pp. 1-44.
- Le Fort, P. (1996), Evolution of the Himalaya. *World and regional Geology*, pp. 95-109.
- Leland, J., Reid, M.R., Burbank, D.W., Finkel, R. and Caffee, M. (1998), Incision and differential bedrock uplift along the Indus River near Nanga Parbat,

- Pakistan Himalaya, from  $^{10}\text{Be}$  and  $^{26}\text{Al}$  exposure age dating of bedrock straths.  
Vol. 154, pp. 93–107.
- Lepper, K., Siggaard-Andersen, M.L., Larsen, N.A., Hammer, C.U. and McKeever, S.W. (2001), Characterization of luminescence properties of insoluble mineral grains extracted from the Greenland Summit GRIP ice core, and their potential for luminescence dating. *Radiation Measurements* Vol. 33 (4), pp. 445–455.
- Li, J. and Zhou, Y. (2001), Palaeovegetation type analysis of the late Pliocene in Zanda bas Vol. 14, pp. 52–58.
- Lian, O.B. (2007), Luminescence Dating/Optically-Stimulated Luminescence. *Encyclopedia of Quaternary Science* (1988), pp. 1491–1505.
- Liu, D., (1981), Geological and ecological studies of Qinghai-Xizang Plateau, Vol. 1. Geologic, geological history and origin of Qinghai-Xizang Plateau: Science Press, Beijing.
- Maher, B.A., Hu, M.Y., Roberts, H.M. and Wintle, A.G. (2003), Holocene loess accumulation and soil development at the western edge of the Chinese Loess Plateau: implications for magnetic proxies of palaeorainfall. *Quaternary* Vol. 22, pp. 445–451.
- Maher, B.A. (2011), The magnetic properties of Quaternary aeolian dusts and sediments, Vol. 3, pp. 87–144.

- Mears, A.I. (1979), Flooding and sediment transport in a small alpine drainage basin in Colorado. *Geology* Vol. 7, pp. 53–57.
- Meena, N.K., Maiti, S. and Shrivastava, A. (2011), Discrimination between anthropogenic (pollution) and lithogenic magnetic fraction in urban soils (Delhi, India) using environmental magnetism. *Journal of Applied Geophysics*, Vol. 73, pp. 121-129.
- Meena, N.K., Sangode, S.J. and Chakarpani, G.J. (2008), Millennium scale Monsoon variability from Environmental Magnetic record of Sambhar lake, Thar- Vol. 29, pp. 50-51.
- Miall, A. (2006), *The geology of fluvial deposits: sedimentary facies, basin analysis, and petroleum geology*. Springer.
- Mukul, M., Jaiswal, M. and Singhvi, A.K. (2007), Timing of recent out-of-sequence active deformation in the frontal Himalayan wedge: Insights from the Darjiling sub-Himalaya, India. *Geology* Vol. 35 (11), pp. 999-1002.
- Munack, H., Korup, O., Resentini, A., Limonta, M., Garzanti, E., Blöthe, J.H., Scherler, D., Wittmann, H. and Kubik, W. (2014), Postglacial denudation of western Tibetan Plateau margin outpaced by long-term exhumation. *Geological* Vol. 126, pp. 1580-1594.
- Murray, A.S. and Wintle, A.G. (2000), Luminescence dating of quartz using an improved single aliquot regenerative-dose protocol. *Radiation Measurements*, Vol. 32, pp. 57-73.



- Nag, D. and Phartiyal, B. (2015), Climatic variations and geomorphology of the Indus River valley, between Nimo and Batalik, Ladakh (NW Trans Himalayas) during Late Quaternary. *Quaternary International* Vol. 371, pp. 87-101.
- Ni, J. and York, J.E. (1978), Late Cenozoic tectonics of the Tibetan plateau. *Journal* Vol. 83 (B11), pp. 5377-5384.
- Nichols, G. (2009), *Sedimentology and stratigraphy*. John Wiley and Sons.
- O'Connor, J.E. (1993), Hydrology, hydraulics, and geomorphology of the Bonneville flood. *Geological Society of America Special Papers* Vol. 274, pp. 1-84.
- Olley, J.M., Caitcheon, G.G. and Roberts, R.G. (1999), The origin of dose distributions in fluvial sediments, and the prospect of dating single grains from fluvial deposits using optically stimulated luminescence. *Radiation* Vol. 30 (2), pp. 207-217.
- Owen, L.A., Caffee, M.W., Bovard, K.R., Finkel, R.C. and Sharma, M.C. (2006), Terrestrial cosmogenic nuclide surface exposure dating of the oldest glacial successions in the Himalayan orogen. Ladakh Range, northern India. *Journal of Quaternary Science* Vol. 118, pp. 383–392.
- Owen, L.A., Caffee, M.W., Finkel, R.C. and Seong, Y.B. (2008), Quaternary glaciation of the Himalayan–Tibetan orogen. *Journal of Quaternary Science*, Vol. 23 (6-7), pp. 513-531.

- Owen, L.A. and Dortch, J.M. (2014), Nature and timing of Quaternary glaciation in the Himalayan Vol. 88, pp. 14-54.
- Owen, L.A., Finkel, R.C., Barnard, P.L., Haizhou, M., Asahi, K., Caffee, M.W. and Derbyshire, E. (2005), Climatic and topographic controls on the style and timing of Late Quaternary glaciation throughout Tibet and the Himalaya defined by 10 Be cosmogenic radionuclide surface exposure dating. *Quaternary Science Reviews* Vol. 24 (12), pp. 1391-1411.
- Passega, R. (1964), Grain size representation by CM patterns as a geological tool. *Journal of Sedimentary Research* Vol. 34, pp. 830-847.
- Passega, R. (1977), Significance of CM diagrams of sediments deposited by suspensions. *Sedimentology* Vol. 24, pp. 723-733.
- Pazzaglia, F.J., Gardner, T.W. and Merritts, D.J. (1998), Bedrock fluvial incision and longitudinal profile development over geologic time scales determined by fluvial terraces. *Rivers over rock: Fluvial processes in bedrock channels*, pp. 207-235.
- Pease, P.P. and Tchakerian, V.P. (2003), Geochemistry of sediments from Quaternary sand ramps in the southeastern Mojave Desert, California. *Quaternary International* Vol. 104, pp. 19-29.
- Phartiyal, B. and Sharma, A. (2009), Soft-sediment deformation structures in the Late Quaternary sediments of Ladakh: Evidence for multiple phases of seismic

- tremors in the North western Himalayan Region. *Journal of Asian Earth*  
Vol. 34, pp. 761-770.
- Phartiyal, B., Sharma, A. and Kothari, G.C. (2013), Existence of Late Quaternary  
and Holocene lakes along the River Indus in Ladakh Region of Trans Himalaya,  
Vol.  
58, pp. 1-14.
- Phartiyal, B., Sharma, A., Srivastava, P. and Ray, Y. (2009), Chronology of relict  
lake deposits in the Spiti River, NW Trans Himalaya: Implications to Late  
Pleistocene–Holocene climate-tectonic perturbations. *Geomorphology* Vol.  
108 (3), pp. 264-272.
- Phartiyal, B., Sharma, A., Upadhyay, R. and Sinha, A.K. (2005), Quaternary  
geology, tectonics and distribution of palaeo-and present fluvio/glacio  
lacustrine deposits in Ladakh, NW Indian Himalaya—a study based on field  
observations. Vol. 65, pp. 241-256.
- Porter, S.C. (2001), Chinese loess record of monsoon climate during the last  
glacial–interglacial cycle. *Earth-Science Reviews* Vol. 54 (1), pp. 115-128.
- Pratt-Sitaula, B., Burbank, D.W., Heimsath, A. and Ojha, T. (2004), Landscape  
disequilibrium on 1000–10,000 year scales Marsyandi River, Nepal, central  
Himalaya. Vol. 58, pp. 223-241.
- Prell, W.L. and Kutzbach, J.E. (1987), Monsoon variability over the past 150,000  
Vol. 92, pp. 8411–8425.

Prescott, J.R. and Stephan, L.G. (1982), Contribution of cosmic radiation to  
Vol. 6, pp. 17-25.

Qiang, M., Chen, F., Song, L., Liu, X., Li, M. and Wang, Q. (2013), Late quaternary  
aeolian activity in Gonghe Basin, northeastern Qinghai-Tibetan plateau, China.  
Quaternary Research Vol. 79, pp. 403-412.

Qiang, M., Jin, Y., Liu, X., Song, L., Li, H., Li, F. and Chen, F. (2016), Late  
Pleistocene and Holocene aeolian sedimentation in Gonghe Basin, northeastern  
Qinghai-Tibetan Plateau: Variability, processes, and climatic implications.  
Quaternary Science Reviews Vol. 132, pp. 57-73.

Qiang, M., Liu, Y., Jin, Y., Song, L., Huang, X. and Chen, F. (2014), Holocene  
record of eolian activity from Genggahai Lake, northeastern Qinghai-Tibetan  
Plateau, China. Geophysical Research Letters Vol. 41, pp. 589-595.

Rawat, S., Gupta, A.K., Sangode, S.J., Srivastava, P. and Nainwal, H.C. (2015),  
Late Pleistocene – Holocene vegetation and Indian summer monsoon record  
from the Lahaul, Northwest Himalaya, India. Quaternary Science Reviews,  
Vol. 114, pp. 167-181.

Ray, Y. and Srivastava, P. (2010), Widespread aggradation in the mountainous  
catchment of the Alaknanda Ganga River System: timescales and implications  
Vol. 29, pp.  
2238-2260.

Reineck, H.E. and Singh, I.B. (1973), Depositional sedimentary environments: with  
reference to terrigenous clastics. Springer Science and Business Media.

- Rendell, H.M. and Sheffer, N.L. (1996), Luminescence dating of sand ramps in the eastern Mojave Desert. *Geomorphology*, Vol. 17, pp. 187-197.
- Rogers, R.D., Kárason, H. and van der Hilst, R.D. (2002), Epeirogenic uplift above a detached slab in northern Central America. *Geology* Vol. 30, pp. 1031-1034.
- Sangode, S.J., Sinha, R., Phartiyal, B., Chauhan, O.S., Mazari, R.K., Bagati, T.N., Suresh, N., Mishra, S., Kumar, R. and Bhattacharjee, P. (2007), Environmental magnetic studies on some Quaternary sediments of varied depositional settings in the Indian sub-continent. *Quaternary International* Vol. 159 (1), pp. 102-118.
- Sant, D.A., Wadhawan, S.K., Ganjoo, R.K., Basavaiah, N., Sukumaran, P. and Bhattacharya, S. (2011), Morphostratigraphy and palaeoclimate appraisal of the Leh valley, Ladakh Himalayas, India. *Journal of the Geological Society of India* Vol. 77, pp. 499-510.
- Scherler, D., Bookhagen, B., Wulf, H., Preusser, F. and Strecker, M.R. (2015), Increased late Pleistocene erosion rates during fluvial aggradation in the Garhwal Himalaya, northern India. *Earth and Planetary Science Letters* Vol. 428, pp. 255-266.
- Schumm, S., Mosley, P. and Weaver, W. (1987), *Experimental fluvial geomorphology*. John Wiley and Sons, New York.

- Searle, M.P. (1986), Structural evolution and sequence of thrusting in the High Himalayan, Tibetan-Tethys and Indus suture zones of Zaskar and Ladakh, Western Vol. 8, pp. 923-936.
- Searle, M.P., Pickering, K. and Cooper, D. (1990), Restoration and evolution of the intermontane Indus molasse basin, Ladakh Himalaya, India. *Tectonophysics*, Vol. 174, pp. 301–314.
- Seong, Y.B., Owen, L.A., Bishop, M.P., Bush, A., Clendon, P., Copland L., Finkel, R.C., Kamp, U. and Shroder, J.F. (2008), Rates of fluvial bedrock incision within an actively uplifting orogen: Central Karakoram Mountains, northern Pakistan. Vol. 97, pp. 274-286.
- Shi, Y., Yu, G., Liu, X., Li, B. and Yao, T. (2001), Reconstruction of the 30–40 ka BP enhanced Indian monsoon climate based on geological records from the Tibetan Plateau. Vol. 169, pp. 69-83.
- Sharma, S., Bartarya, S.K. and Marh, B.S. (2016), Post-glacial landform evolution in the middle Satluj River valley, India: Implications towards understanding the climate tectonic interactions. *Journal of Earth System Science* Vol. 125 (3), pp. 539-558.
- Shukla, U.K. (2009), Sedimentation model of gravel-dominated alluvial piedmont fan, Ganga Plain, India. Vol. 98, pp. 443-459.

- Sinclair, H.D. and Jaffey, N. (2001), Sedimentology of the Indus Group, Ladakh, northern India: implications for the timing of initiation of the palaeo-Indus  
Vol. 158, pp. 151–162.
- Singh, S. and Jain, A.K. (2007), Liquefaction and fluidization of lacustrine deposits from Lahaul-Spiti and Ladakh Himalaya: Geological evidences of paleoseismicity along active fault zone. *Sedimentary Geology* Vol. 196, pp. 47-57.
- Singhvi, A.K. and Kar, A. (2004), The aeolian sedimentation record of the Thar Desert. *Proceedings of the Indian Academy of Sciences - Earth and Planetary Sciences*, Vol. 113, pp. 371-401.
- Singhvi, A.K. and Porat, N. (2008), Impact of luminescence dating on geomorphological and palaeoclimate research in drylands. *Boreas* Vol. 37, pp. 536-558.
- Sridhar, A. (2007), Mid-late Holocene hydrological changes in the Mahi River, arid western India. *Geomorphology* Vol. 88 (3), pp. 285-297.
- Sridhar, A., Chamyal, L.S., Bhattacharjee, F. and Singhvi, A.K. (2013), Early Holocene fluvial activity from the sedimentology and palaeohydrology of gravel terrace in the semi arid Mahi River Basin, India. *Journal of Asian Earth Sciences* Vol. 66, pp. 240-248.
- Srivastava, P., Bhakuni, S.S., Luirei, K. and Misra, D.K. (2009), Morpho-sedimentary records from the Brahmaputra River exit, NE Himalaya: climate-

- tectonic interplay during Late Pleistocene-Holocene. *Journal of Quaternary*  
Vol. 24, pp. 175-188.
- Srivastava, P., Brook, G.A., Marais, E., Morthekai, P. and Singhvi, A.K. (2006),  
Depositional environment and OSL chronology of the Homeb silt deposits,  
Vol. 65, pp. 478-491.
- Srivastava, P., Kumar, A., Chaudhary, S., Meena, N.K., Sundriyal, Y.P., Rawat, S.,  
Kumar, N., Perumal, R.J., Bhist, P., Sharma, D., Agnihotri, R., Bagri, D.S.,  
Juyal, N., Wasson, R.J. and Ziegler, A.D. Paleofloods records in Himalaya.  
Geomorphology (in communication).
- Srivastava, P., Kumar, A., Mishra, A., Meena, N.K., Tripathi, J.K., Sundriyal, Y.P.,  
Agnihotri, R. and Gupta, A.K. (2013), Early Holocene monsoonal fluctuations  
in the Garhwal higher Himalaya as inferred from multi-proxy data from the  
Vol. 80, pp. 447-458.
- Srivastava, P. and Misra, D.K. (2008), Morpho-sedimentary records of active  
tectonics at the Kameng river exit, NE Himalaya. Vol. 96, pp.  
187-198.
- Srivastava, P., Parkash, B. and Pal, D.K. (1998), Clay Minerals in Soils as Evidence  
of Holocene Climatic Change, Central Indo-Gangetic Plains, North-Central  
India. *Quaternary* Vol. 50, pp. 230-239.
- Srivastava, P., Ray, Y., Phartiyal, B. and Sharma, A. (2013), Late Pleistocene-  
Holocene morphosedimentary architecture, Spiti River, arid higher Himalaya.  
Vol. 102, pp. 1967-1984.



- Srivastava, P., Singh, I.B., Sharma, M. and Singhvi, A.K. (2003), Luminescence chronometry and Late Quaternary geomorphic history of the Ganga Plain, India. *Palaeogeography, Palaeoclimatology, Palaeoecology* Vol. 197, pp. 15-41.
- Srivastava, P., Tripathi, J.K., Islam, R. and Jaiswal, M.K. (2008), Fashion and phases of Late Pleistocene aggradation and incision in Alaknanda River, Vol. 70, pp. 68-80.
- Starkel, L. (2003), Climatically controlled terraces in uplifting mountain areas. *Quaternary Science Reviews* Vol. 22, pp. 2189–2198.
- Stauch, G., IJmaker, J., Pötsch, S., Zhao, H., Hilgers, A., Diekmann, B., Dietze, E., Hartmann, K., Opitz, S., Wünnemann, B. and Lehmkuhl, F. (2012), Aeolian sediments on the northeastern Tibetan Plateau. *Quaternary Science Reviews*, Vol. 57, pp. 71–84.
- Stokes, M., Griffiths, J.S. and Mather, A. (2012), Palaeoflood estimates of Pleistocene coarse grained river terrace landforms (Río Almanzora, SE Spain). *Geomorphology* Vol. 149, pp. 11-26.
- Sundriyal, Y.P., Shukla, A.D., Rana, N., Jayangondaperumal, R., Srivastava, P., Chamyal, L.S. and Juyal, N. (2015), Terrain response to the extreme rainfall event of June 2013: Evidence from the Alaknanda and Mandakini River Valleys, Garhwal Himalaya, India. *Episodes* Vol. 38 (3), pp. 179-188.

- Sundriyal, Y.P., Tripathi, J.K., Sati, S.P., Rawat, G.S. and Srivastava, P. (2007), Landslide-dammed lakes in the Alaknanda Basin, Lesser Himalaya: Causes and implications. Vol. 93, pp. 568-574.
- Suresh, N., Ghosh, S.K., Kumar, R. and Sangode, S.J. (2004), Clay-mineral distribution patterns in late Neogene fluvial sediments of the Subathu sub-basin, central sector of Himalayan foreland basin: implications for provenance Vol. 163, pp. 265–278.
- Talbot, M.R. (1985), Major bounding surfaces in aeolian sandstones—a climatic model. *Sedimentology*, Vol. 32, pp. 257-265.
- Telfer, M.W., Thomas, Z.A. and Breman, B. (2012), Sand ramps in the Golden Gate Highlands National Park, South Africa: evidence of periglacial aeolian activity during the Last Glacial. *Palaeogeography, Palaeoclimatology*, Vol. 313–314, pp. 59–69.
- Thakur, V.C. (1983), Palaeotectonic evolution of Indus-Tsangpo Suture Zone in Ladakh and southern Tibet. *Geology of Indus Suture Zone of Ladakh*, Eds. V.C. Thakur and K.K. Sharma, pp. 195-204.
- Thakur, V.C. and Misra, D. K. (1984), Tectonic framework of the Indus and Shyok Vol. 101, pp. 207-220.
- Thakur, V.C. and Rawat, B.S. (1992), *Geological Map of the Western Himalaya*. Scale 1:1,111,111. Wadia Institute of Himalayan Geology, Dehradun.

- Thayyen, R.J., Dimri, A.P., Kumar, P. and Agnihotri, G. (2013), Study of cloudburst and flash floods around Leh, India, during August 4–6, 2010. *Natural hazards* Vol. 65 (3), pp. 2175-2204.
- Thiede, R.C., Bookhagen, B., Arrowsmith, J.R., Sobel, E.R. and Strecker, M.R. (2004), Climatic control on rapid exhumation along the Southern Himalayan Front. *Geology* Vol. 32, pp. 791-806.
- Thomas, D.S., Bateman, M.D., Mehrshahi, D. and O'Hara, S.L. (1997), Development and environmental significance of an eolian sand ramp of last-glacial age, Central Iran. *Quaternary Research*, Vol. 48, pp. 155-161.
- Thompson, L.G., Yao, T., Davis, M.E., Henderson, K.A., Mosley-Thompson, E., Lin, P.N., Beer, J., Synal, H.A., Cole-Dai J. and Bolzan, J.F. (1997), Tropical Climate Instability: The Last Glacial Cycle from a Qinghai-Tibetan Ice Core. *Science* Vol. 276, pp. 1821-1825.
- Troiani, F., Galve, J.P., Piacentini, D., Seta, M.D. and Guerrero, J. (2014), Spatial analysis of stream length-gradient (SL) index for detecting hill slope processes: A case of the Gállego River headwaters (Central Pyrenees, Spain). *Geomorphology* Vol. 214, pp. 183-197.
- Turner, B.R. and Makhlof, I. (2002), Recent colluvial sedimentation in Jordan: fans evolving into sand ramps. *Sedimentology*, Vol. 49, pp. 1283-1298.

- Van Campo, E., Cour, P. and Sixuan, H. (1996), Holocene environmental changes in Bangong Co basin (Western Tibet). Part 2: the pollen record. *Palaeogeography, Palaeoclimatology, Palaeoecology*, Vol. 120, pp. 49-63.
- Verosub, K.L. and Roberts, A.P. (1995), Environmental magnetism: past, present, and future. *Journal of Geophysical Research: Solid Earth* Vol. 100 (B2), pp. 2175-2192.
- Wasson, R.J., Sundriyal, Y.P., Chaudhary, S., Jaiswal, M.K., Morthekai, P., Sati, S.P. and Juyal, N. (2013), A 1000-year history of large floods in the Upper Ganga catchment, central Himalaya, India. *Quaternary Science Reviews* Vol. 77, pp. 156-166.
- Wegmann, K.W. and Pazzaglia, F.J. (2002), Holocene strath terraces, climate change, and active tectonics: The Clearwater River basin, Olympic Peninsula, Washington State. *Geological Society of America Bulletin* Vol. 114, pp. 731-744.
- Whipple, K.X., Hancock, G.S. and Anderson, R.S. (2000), River incision into bedrock: Mechanics and relative efficacy of plucking, abrasion, and cavitation. *Geological Society of America Bulletin* Vol. 112 (3), pp. 490-
- Whipple, K.X. and Tucker, G.E. (1999), Dynamics of the stream-power river incision model; implications for height limits of mountain ranges, landscape response timescales, and research needs. *Journal of Geophysical Research: Solid Earth*, Vol. 104 (B8), pp. 17661–17674.

- Whipple, K.X. and Tucker, G.E. (2002), Implications of sediment-flux dependent river incision models for landscape evolution. *Journal of Geophysical Research: Solid Earth*, Vol. 107 (B2), ETG-3.
- Wintle, A.G. (1997), Luminescence dating: laboratory procedures and protocols. *Radiat. Environ. Biophys.* Vol. 27, pp. 769-817.
- Wintle, A.G. and Huntley, D.J. (1982), Thermoluminescence dating of sediments. *Quaternary Science Reviews* Vol. 1 (1), pp. 31-53.
- Wobus, C., Heimsath, A., Whipple, K. and Hodges, K. (2005), Active out-of-sequence thrust faulting in the central Nepalese Himalaya. *Geology* Vol. 33, pp. 1008-1011.
- Wobus, C., Whipple, K.X., Kirby, E., Snyder, N., Johnson, J., Spyropolou, K., Crosby, B. and Sheehan, D. (2006) Tectonics from topography: Procedures, promise, and pitfalls. *Geological Society of America Special Paper*, Vol. 398, pp. 55-74.
- Wu, F.Y., Clift, P.D. and Yang, J.H. (2007), Zircon Hf isotopic constraints on the sources of the Indus M. *Earth Planet. Sci. Lett.* Vol. 26.
- Wünnemann, B., Damske, D., Tarasov, P., Kotlia, B.S., Reinhardt, C., Bloemendal, J., Diekmann, B., Hartmann, K., Krois, J., Riedel, F. and Arya, N. (2010), Hydrological evolution during the last 15kyr in the Tso Kar lake basin (Ladakh, India), derived from geomorphological, sedimentological and palynological records. *Quaternary Science Reviews* Vol. 29 (9), pp. 1138-1155.

- Yao, T., Thompson, L.G., Mosbrugger, V., Zhang, F., Ma, Y., Luo, T., Xu, B., Yang, X., Joswiak, D.R., Wang, W. and Joswiak, M.E. (2012), Third pole environment (TPE). *Environmental Development* Vol. 3, pp. 52-64.
- Yin, A. (2006), Cenozoic tectonic evolution of the Himalayan orogen as constrained by along-strike variation of structural geometry, exhumation history, and foreland sedimentation. *Earth-Science Reviews* Vol. 76 (1), pp. 1-131.
- Zhao, W., Nelson, K.D., Che, J., Quo, J., Lu, D., Wu, C. and Liu, X. (1993), Deep seismic reflection evidence for continental underthrusting beneath southern Tibet. *Nature* Vol. 366 (6455), pp. 557-559.
- Zhu, B.Q., Yu, J.J., Rioual, P. and Ren, X.Z. (2014), Particle size variation of aeolian dune deposits in the lower reaches of the Heihe River basin, China. *Sedimentary Geology*, Vol. 301, pp. 54-69.
- Ziegler, A.D., Wasson, R.J., Bhardwaj, A., Sundriyal, Y.P., Sati, S.P., Juyal, N. and Saklani, U. (2014), Pilgrims, progress, and the political economy of disaster preparedness — The example of the 2013 Uttarakhand flood and Kedarnath disaster. *Hydrological Processes* Vol. 28 (24), pp. 5985-5990.